Weed Research, 1989, Volume 29, 467–470

AUTHOR INDEX

AGENBAG, G. A. and DE VILLIERS, O. T. The effect of nitrofen fertilizers on the germination and seedling emergence of wild oat (*A. fatua* L.) seed in different soil types, 239

AKOBUNDI, I. O. *See* UNAMMA, R. P. A.

AUSPURG, B., PESTEMER, W. and HEITEFUSS, R. Untersuchungen zum Einfluss einer Pflanzenschutzmittelspritzfolge auf das Ruckstandsverhalten von Terbutryn und die mikrobielle Aktivitat im Boden. Teil I. Ruckstandsverhalten von Terbutryn, 69

AUSPURG, B., PESTEMER, W. und HEITEFUSS, R. Untersuchungen zum Einfluss einer Pflanzenschutzmittelspritzfolge auf das Ruckstandsverhalten von Terbutryn und die mikrobielle Aktivitat im Boden. Teil II. Beeinflussing der mikrobiellen Aktivitat, 79

BACHTHALER, G. *See* GLEIßL, W.

BALL, D. A. and MILLER, S. D. A comparison of techniques for estimation of arable soil seedbanks and their relationship to weed flora, 365

BARNWELL, P. and COBB, A. H. Physiological studies of mecoprop-resistance in chickweed (*Stellaria media*), 135

BASKIN, C. C. *See* BASKIN, J. M.

BASKIN, J. M. and BASKIN, C. C. Germination responses of buried seeds of *Capsella bursa-pastoris* exposed to seasonal temperature changes, 205

BASKIN, J. M. and BASKIN, C. C. Role of temperature in regulating timing of germination in soil seed reserves of *Thlaspi arvense* L., 317

BERNHARDT, H.-G. und HURKA, H. Dynamik des Samenspeichers in einigen mediterranen Kulturboden, 247

BERTI, A. *See* ZANIN, G.

BRAIN, P. and COUSENS, R. An equation to describe dose responses where there is stimulation of growth at low doses, 93

BRATHWAITE, R. A. I. *See* BRIDGEMOHAN, P.

BRIDGEMOHAN, P. and BRATHWAITE R. A. I. Weed management strategies for the control of *Rottboellia cochinchinensis* in maize in Trinidad, 433

BUTLER, J. H. *See* POPAY, A. I.

CAIRNS, A. L. P. and DE VILLIERS, O. T. Effect of sucrose taken up by developing *Avena fatua* L. panicles on the dormancy and a-amylase synthesis of the seeds produced, 151

CARNEGIE, H. M. *See* SIMPSON, M. J. A.

CARSTAIRS, S. A. *See* PANETTA, F. D.

CATIZONE, P. *See* LANDI, P.

CAUSSANEL, J. P. *See* KAFIZ, B.

CHAUVEL, B., GASQUEZ, J. and DARMENCY, H. Changes of weed seed bank parameters according to species, time and environment, 213

COBB, A. H. *See* BARNWELL, P.

COMBELLACK, J. H. *See* STREIBIG, J. C.

COTTERILL, E. G. *See* WALKER, A.

COTTERILL, E. G. and OWEN, P. G. Enhanced degradation in soil of tri-allate and other carbamate pesticides following application of tri-allate, 65

COUPLAND, D. Pre-treatment environmental effects on the uptake, translocation, metabolism and performance of fluazifop-butyl in *Elymus repens*, 289

COUSENS, R., *See* BRAIN, P.

DARMENCY, H. and PERNES, J. Agronomic performance of a triazine resistant foxtail millet (*Setaria italica* (L.) Beauv.), 147

DARMENCY, H. *See* CHAUVEL, B.

DASTGHEIB, F. Relative importance of crop seed, manure and irrigation water as sources of weed infestation, 113
DE FELIPE, M. R. *See* POZUELO, J. M.
DE VILLIERS, O. T. *See* AGENBAG, G. A.
DODD, J. Phenology and seed production of variegated thistle, *Silybum marianum* (L.) Gaertn., in Australia in relation to mechanical and biological control, 255

EBERT, E. *See* KREUZ, J.
EKLER, Z. and STEPHENSON, G. R. Physiological responses of maize and sorghum to four different safeners for metazachlor, 181
ELEFTHEROHORINOS, I. G. and KOTOULA-SYKA, E. Field persistence of chlorsulfuron and DPX-L5300 in relation to rotational crops, 127

FERNANDEZ-PASCUAL, M. *See* POZUELO, J. M.

GAILLARDON, P. *See* KAFIZ, B.
GAILLARDON, P., GUICHAOUA, J. C., GASQUEZ, J. and SCALLA, R. Absorption, translocation and metabolism of pyridate in a tolerant crop (*Zea mays*) and two susceptible weeds (*Polygonum lapathifolium* L. and *Chenopodium album* L.), 45
GARCIA-TORRES, L. *See* SAAVEDRA, M.
GASQUEZ, J. *See* CHAUVEL, B.
GASQUEZ, J. *See* GAILLARDON, P.
GAUDIN, J. *See* KREUZ, K.
GLEIßL, W., BACHTHALER, G. und HOFFMAN, G. M. Untersuchungen zur Wirtseignung verschiedener geographischer Herkunfte con Ackerunkrautern gegenuber dem Rubenzystenalchen *Heterodera schachtii* Schmidt, 221
GOULD, P. *See* MORTIMER, A. M.
GUICHAOUA, J. C. *See* GAILLARDON, P.
GÜNTHER, P., RAHMAN, A. and PESTEMER, W. Quantatitive bioassays for determining residues and availability to plants of sulphonyrea herbicides, 141

HALLER, W. T. *See* SHILLING, D. G.
HAUFLER, C. H. *See* SHEFFIELD, E.
HEITEFUSS, R. *See* AUSPURG, B.
HERNANDEZ-BERJEMO, E. *See* SAAVEDRA, M.
HIDALGO, B. *See* SAAVEDRA, M.
HILL, T. A. *See* QASEM, J. R.
HOFFMANN, G. M. *See* GLIEßL, W.
HONGO, A. Survival and growth of seedlings of *Rumex obtusifolius* L. and *Rumex crispus* L. in newly sown grassland, 7
HONGO, A. Transplant survival of *Rumex obtusifolius* L. and *Rumex crispus* L. in three old reseeded grasslands, 13
HSIAO, A. I. and HUANG, W. Z. Apical dominance in the shoot and its possible role in the survival of *Paspalum distichum* L., 327
HSIAO, A. I. and HUANG, W. Z. Effects of flooding on rooting and sprouting of isolated stem segments and on plant growth of *Paspalum distichum* L., 335
HUANG, W. Z. *See* HSAIO, A. I.
HURKA, H. *See* BERNHARDT, K.-G.

JAUZEIN, P. Photosensibilite des bromes annuels (*Bromus* L. spp.), 53

KHURANA, S. C. *See* THAKRAL, K. K.
KIGEL, J. *See* REISMANN-BERGMAN, O.
KOCH, W. *See* SAUERBORN, J.

KOTOULA-SYKA, E. *See* ELEFTHEROHORINOS, I. G.
KREUZ, K., GAUDIN, J. and EBERT, E. Effects of the safeners CGA 154281, oxabetrinil and fenclorim on uptake and degradation of metolachor in corn (*Zea mays* L.) seedlings, 399

LANDI, P., VICARI, A. and CATIZONE, P. Response of maize (*Zea mays* L.) inbred lines and hybrids to chlorsulfuroh, 265
LEHMANN, R. G. and MILLER, J. R. Soil catalysed hydrolysis of fluroxypyr-methylheptyl ester, 385
LINKE, K-H. *See* SAUERBORN, M. C.
LUCAS, M. M. *See* POZUELO, J. M.

MEEKLAH, F. A. *See* POPAY, A. I.
MEYER, A. *See* SAUERBORN, J.
MILLER, J. R. *See* LEHMANN, R. G.
MILLER, S. D. *See* BALL, D. A.
MORRIS, M. J. A method for controlling *Hakea sericea* Schrad. seedlings using the fungus *Colletotrichum gloeosporioides* (Penz.) Sacc., 449
MORTIMER, A. M., SUTTON, J. J. and GOULD, P. On robust weed population models, 229
MÜLLER, H. Growth pattern of diploid and tetraploid spotted knapweed, *Centaurea maculosa* Lam. (Compositae), and effects of the root-mining moth *Agapeta zoegana* (L.) (Lep.: Cochylidae), 103
MURTHY, R. S. *See* RAJENDRA PRAKASH, T.
MYERS, R. A. *See* STOLLER, E. W.

PANDITA, M. L. *See* THAKRAL, K. K.
PANETTA F. D. and CARSTAIRS, S. A. Isozymic discrimination of tropical Australian populations of mesquite (*Prosopis* spp.): implications for biological control, 157
PERNES, J. *See* DARMENCY, H.
PESTEMER, W. *See* AUSPURG, B.
PESTEMER, W. *See* GÜNTHER, P.
POPAY, A. I., BUTLER, J. H. and MEEKLAH, F. A. Chemical control of nodding thistle (*Carduus nutans* L.) in New Zealand pastures, 21
POZUELO, J. M., FERNANDEZ-PASCUAL, M., LUCAS, M. M. and DE FELIPE, M. R. Effect of eight herbicides from five different chemical groups on nitrogen fixation and grain yield in *Lupinus albus* L. grown in semi-arid zones, 419
PRITCHARD, G. H. *See* STREIBIG, J. C.
PYŠEK, A. *See* PYŠEK, P.
PYŠEK, P. und PYŠEK, A. Veranderungen der Vegetation durch experimentelle Erdgasbehandlung, 193

QASEM, J. M. and HILL, T. A. On difficulties with allelopathy methodology, 345
QASEM, J. R. and HILL, T. A. Possible role of allelopathy in the competition between tomato, *Senecio vulgaris* L. and *Chenopodium album* L., 349

RAHMAN, A. *See* GUNTHER, P.
RAJENDRA PRAKASH, J., MURTHY, R. S. and SWAMY, P. M. Influence of thiobencarb on nitrate reductase, nitrite reductase and DCPIP photoreduction in rice and *Echinochloa crus-galli* (L.) (barnyardgrass), 427
REISMANN-BERMAN, O., KIGEL, J. and RUBIN, B. Short soaking in water inhibits germination of *Datura ferox* L. and *D. stramonium* L. seeds, 357
RICHARDSON, R. G. *See* STREIBIG, J. C.
RUBIN, B. *See* REISMANN-BERGMAN, O.

SAAVEDRA, M., GARCIA-TORRES, L., HERNANDEZ-BERJEMO, E. and HIDGALGO, B. Weed flora in the Middle Valley of the Guadalquivir, Spain, 167

SAUERBORN, J., LINKE, K-H., SAXENA, M. C. and KOCH, W. Solarization; a physical control method for weeds and parasitic plants (*Orobanche* spp.) in Mediterranean agriculture, 391
SAUERBORN, J., SAXENA, M. C. and MEYER, A. Broomrape control in faba bean (*Vicia faba* L.) with glyphosate and imazaquin, 97
SAXENA, M. C. *See* SAUERBORN, J.
SCALLA, R. *See* GAILLARDON, P.
SCALLA, R. *See* KAFIZ, B.
SHEFFIELD, E., WOLF, P. G. and HAUFLER, C. H. How big is a bracken plant? 455
SHILLING, D. G. and HALLER, W. T. Interactive effects of dilutent pH and calcium content on glyphosate activity on *Panicum repens* L. (torpedograss), 441
SIMPSON, M. J. A. and CARNEGIE, HAZEL M. Dicotyledonous weeds of spring cereal crops in north-east Scotland, 39
SKOVGAARD, I. *See* VLEESHOUWERS, L. M.
STEPHENSON, G. R. *See* EKLER, Z.
STOLLER, E. W. and MYERS, R. A. Effects of shading and soybean *Glycine max* (L.) interference on *Solanum ptycanthum* (Dun.) (eastern black nightshade) growth and development, 307
STREIBIG, J. C. *See* VLEESHOUWERS, L. M.
STREIBIG, J. C., COMBELLACK, J. H., PRITCHARD, G. H. and RICHARDSON, R. G. Estimation of thresholds for weed control in Australian cereals, 117
SUTTON, J. J. *See* MORTIMER, A. M.
SWAMY, P. M. *See* RAJENDRA PRAKASH, T.

THAKRAL, K. K., PANDITA, M. L., KHURANA, S. C. and KALLOO, G. Effect of time of weed removal on growth and yield of potato, 33

UNAMMA, R. P. A. and AKOBUNDU, I. O. Effects of tropical weeds on yield in white yam (*Discorea rotunda* Poir), 1.

VAN LEEUWEN, P. H. *See* VAN OORSCHOT, J. L. P.
VAN OORSCHOT, J. L. P. and VAN LEEUWEN, P. H. Photosynthetic capacity of intact leaves of resistant and susceptible cultivars of *Brassica napus* L. to atrazine, 29
VICARI, A. *See* LANDI, P.
VLEESHOUWERS, L. M., STREIBIG, J. C. and SKOVGAARD, I. Assessment of competition between crops and weeds, 273

WALKER, A. and WELCH, S. J. The relative movement and persistence in soil of chlorsulfuron, metsulfuron-methyl and triasulfuron, 375
WALKER, A., COTTERILL, E. G. and WELCH, S. J. Adsorption and degradation of chlorsulfuron and metasulfuron-methyl in soils from different depths, 281
WELCH, S. J. *See* WALKER, A.
WOLF, P. G. *See* SHEFFIELD, E.

ZANIN, G., BERTI, A. et ZUIN, M. C. Estimation du stock semencier d'un sol laboure ou en semis direct, 407
ZUIN, M. C. *See* ZANIN, G.

WEED RESEARCH

Journal of the European Weed Research Society

EDITORIAL BOARD

Chairman

R. J. HANCE

Editors

G. BARRALIS (F)
G. BOOCOCK (GB)
G. G. BRIGGS (GB)
A. D. COURTNEY (GB)
R. D. COUSENS (GB)
D. S. H. DRENNAN (GB)
E. EBERT (CH)
TH. EGGERS (D)
A. GAST (CH)
G. W. IVENS (GB)
G. MARSHALL (GB)
J. MY (F)
B. J. POST (NL)
H. A. ROBERTS (GB)
R. SCALLA (F)
J. C. STREIBIG (DK)
P. J. TERRY (GB)
J. L. P. VAN OORSCHOT (NL)
P. ZWERGER (D)

Technical Editor

R. J. HANCE

European Weed Research Society
General Secretary
Dr Th. EGGERS
Weed Research Institute
Federal Biological Research Centre
for Agriculture and Forestry
Messeweg 11/12, D-3300 Braunschweig
Federal Republic of Germany

VOLUME 29

Pages 1–470

BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD LONDON EDINBURGH
BOSTON MELBOURNE

1989

WEED RESEARCH

Vol. 29 No. 1 **February 1989**

R. P. A. UNAMMA AND I. O. AKOBUNDU. Effects of tropical weeds on yield in white yam (*Discorea rotunda* Poir) 1

A. HONGO. Survival and growth of seedlings of *Rumex obtusifolius* L. and *Rumex crispus* L. in newly sown grassland 7

A. HONGO. Transplant survival of *Rumex obtusifolius* L. and *Rumex cripus* L. in three old reseeded grasslands 13

A. I. POPAY, J. H. BUTLER AND F. A. MEEKLAH. Chemical control of nodding thistle (*Carduus nutans* L.) in New Zealand pastures 21

J. L. P. VAN OORSCHOT AND P. H. VAN LEEUWEN. Photosynthetic capacity of intact leaves of resistant and susceptible cultivars of *Brassica napus* L. to atrazine 29

K. K. THAKRAL, M. L. PANDITA, S. C. KHURANA AND G. KALLOO. Effect of time of weed removal on growth and yield of potato 33

M. J. A. SIMPSON AND HAZEL M. CARNEGIE. Dicotyledonous weeds of spring cereal crops in north-east Scotland 39

P. GAILLARDON, J. V. GUICHAOUA, J. GASQUEZ AND R. SCALLA. Absorption, translocation and metabolism of pyridate in a tolerant crop (*Zea mays*) and two susceptible weeds (*Polygonum lapathifolium* L. and *Chenopodium album* L.) 45

P. JAUZEIN. Photosensibilite des bromes annuels (*Bromus* L. spp.) 53

E. G. COTTERILL AND P. G. OWEN. Enhanced degradation in soil of tri-allate and other carbamate pesticides following application of tri-allate 65

Vol. 29 No. 2 **April 1989**

B. AUSPURG, W. PESTEMER and R. HEITEFUSS. Untersuchungen zum Einfluss einer Pflanzenschutz-mittelspritzfolge auf das Rückstandsverhalten von Terbutryn und die mikrobielle Aktivität im Boden. Teil I. Rückstandsverhalten von Terbutryn 69

B. AUSPURG, W. PESTEMER and R. HEITEFUSS. Untersuchungen zum Einfluss einer Pflanzenschutz-mittelspritzfolge auf das Rückstandsverhalten von Terbutryn und die mikrobielle Aktivität im Boden. Teil II. Beeinflussung der mikrobiellen Aktivität 79

P. BRAIN and R. COUSENS. An equation to describe dose responses where there is stimulation of growth at low doses 93

J. SAUERBORN, M. C. SAXENA and A. MEYER. Broomrape control in faba bean (*Vicia faba* L.) with glyphosate and imazaquin 97

H. MÜLLER. Growth pattern of diploid and tetraploid spotted knapweed, *Centaurea maculosa* Lam. (Compositae), and effects of the root-mining moth *Agapeta zoegana* (L.) (Lep.: Cochylidae) 103

F. DASTGHEIB. Relative importance of crop seed, manure and irrigation water as sources of weed infestation 113

J. C. STREIBIG, J. H. COMBELLACK, G. H. PRITCHARD and R. G. RICHARDSON. Estimation of thresholds for weed control in Australian cereals 117

I. G. ELEFTHEROHORINOS and ELENI KOTOULA-SYKA. Field persistence of chlorsulfuron and DPX-L5300 in relation to rotational crops 127

P. BARNWELL and A. H. COBB. Physiological studies of mecoprop-resistance in chickweed (*Stellaria media* L.) 135

P. GÜNTHER, A. RAHMAN and W. PESTEMER. Quantitative bioassays for determining residues and availability to plants of sulphonylurea herbicides 141
H. DARMENCY and J. PERNES. Agronomic performance of a triazine resistant foxtail millet (*Setaria italica* (L.) Beauv.) 147

Vol. 29 No. 3 **June 1989**

A. L. P. CAIRNS AND O. T. DE VILLIERS. Effect of sucrose taken up by developing *Avena fatua* L. panicles on the dormancy and α-amylase synthesis of the seeds produced 151
F. D. PANETTA AND S. A. CARSTAIRS. Isozymic discrimination of tropical Australian populations of mesquite (*Prosopis* spp.): implications for biological control 157
M. SAAVEDRA, L. GARCIA-TORRES, E. HERNANDEZ-BERJEMO AND B. HIDALGO. Weed flora in the Middle Valley of the Guadalquivir, Spain 167
Z. EKLER AND G. R. STEPHENSON. Physiological responses of maize and sorghum to four different safeners for metazachlor 181
P. PYŠEK UND A. PYŠEK. Veranderungen der Vegetation durch experimentelle Erdgasbehandlung 193
J. M. BASKIN AND CAROL C. BASKIN. Germination responses of buried seeds of *Capsella bursa-pastoris* exposed to seasonal temperature changes 205
B. CHAUVEL, J. GASQUEZ AND H. DARMENCY. Changes of weed seed bank parameters according to species, time and environment 213
W. GLEIßL, G. BACHTHALER UND G. M. HOFFMANN. Untersuchungen zur Wirtseignung verschiedener geographischer Herkunfte von Ackerunkräutern gegenüber dem Rübenzystenälchen *Heterodera schachtii* Schmidt 221

Vol. 29 No. 4 **August 1989**

A. M. MORTIMER, J. J. SUTTON AND P. GOULD. On robust weed population models 229
G. A. AGENBAG AND O. T. DE VILLIERS. The effect of nitrogen fertilizers on the germination and seedling emergence of wild oat (*A. fatua* L.) seed in different soil types 239
K.-G. BERNHARDT UND H. HURKA. Dynamik des Samenspeichers in einigen mediterranen Kulturböden 247
J. DODD. Phenology and seed production of variegated thistle, *Silybum marianum* (L.) Gaertn., in Australia in relation to mechanical and biological control 255
P. LANDI, A. VICARI AND P. CATIZONE. Response of maize (*Zea mays* L.) inbred lines and hybrids to chlorsulfuron 265
L. M. VLEESHOUWERS, J. C. STREIBIG AND I. SKOVGAARD. Assessment of competition between crops and weeds 273
A. WALKER, E. G. COTTERILL AND S. J. WELCH. Adsorption and degradation of chlorsulfuron and metasulfuron-methyl in soils from different depths 281
D. COUPLAND. Pre-treatment environmental effects on the uptake, translocation, metabolism and performance of fluazifop-butyl in *Elymus repens* 289
B. KAFIZ, J. P. CAUSSANEL, R. SCALLA AND P. GAILLARDON. Interaction between diclofop-methyl and 2,4-D in wild oat (*Avena fatua* L.) and cultivated oat (*Avena sativa* L.), and fate of diclofop-methyl in cultivated oat 299

Vol. 29 No. 5 **October 1989**

E. W. Stoller and R. A. Myers. Effects of shading and soybean *Glycine max* (L.) interference on *Solanum ptycanthum* (Dun.) (eastern black nightshade) growth and development 307
J. M. Baskin and Carol C. Baskin. Role of temperature in regulating timing of germination in soil seed reserves of *Thlaspi arvense* L. 317
A. I. Hsiao and W. Z. Huang. Apical dominance in the shoot and its possible role in the survival of *Paspalum distichum* L. 327
A. I. Hsiao and W. Z. Huang. Effects of flooding on rooting and sprouting of isolated stem segments and on plant growth of *Paspalum distichum* L. 335
J. R. Qasem and T. A. Hill. On difficulties with allelopathy methodology 345
J. R. Qasem and T. A. Hill. Possible role of allelopathy in the competition between tomato, *Senecio vulgaris* L. and *Chenopodium album* L. 349
Orna Reismann-Berman, J. Kigel and B. Rubin. Short soaking in water inhibits germination of *Datura ferox* L. and *D. stramonium* L. seeds 357
D. A. Ball and S. D. Miller. A comparison of techniques for estimation of arable soil seedbanks and their relationship to weed flora 365
A. Walker and Sarah J. Welch. The relative movement and persistence in soil of chlorsulfuron, metsulfuron-methyl and triasulfuron 375
R. G. Lehmann and J. R. Miller. Soil catalysed hydrolysis of fluroxypyr-methylheptyl ester 385

Vol. 29 No. 6 **December 1989**

J. Sauerborn, K-H. Linke, M. C. Saxena and W. Koch. Solarization; a physical control method for weeds and parasitic plants (*Orobanche* spp.) in Mediterranean agriculture 391
K. Kreuz, J. Gaudin and E. Ebert. Effects of the safeners CGA 154281, oxabetrinil and fenclorim on uptake and degradation of metolachlor in corn (*Zea mays* L.) seedlings 399
G. Zanin, A. Berti and M. C. Zuin. Estimation du stock semencier d'un sol laboure ou en semis direct 407
J. M. Pozuelo, M. Fernandez-Pascual, M. M. Lucas and M. R. De Felipe. Effect of eight herbicides from five different chemical groups on nitrogen fixation and grain yield in *Lupinus albus* L. grown in semi-arid zones 419
T. Rajendra Prakash, R. S. Murthy and P. M. Swamy. Influence of thiobencarb on nitrate reductase, nitrite reductase and DCPIP photoreduction in rice and *Echinochloa crus-galli* (L.) (barnyardgrass) 427
P. Bridgemohan and R. A. I. Brathwaite. Weed management strategies for the control of *Rottboellia cochinchinensis* in maize in Trinidad 433
D. G. Shilling and W. T. Haller. Interactive effects of diluent pH and calcium content on glyphosate activity on *Panicum repens* L. (torpedograss) 441
M. J. Morris. A method for controlling *Hakea sericea* Schrad. seedlings using the fungus *Colletrotrichum gloeosporioides* (Penz.) Sacc. 449
E. Sheffield, P. G. Wolf and C. H. Haufler. How big is a bracken plant? 455
Glossary of Common Names and Abbreviations of Herbicides 461
Author Index to Volume 29 467